# The Warfighter Readiness Assessment and Performance Measurement Tracking System Goes Operational!

Imagine a flight of two F-16 simulators and two real F-16s flying over a gun range in the next state directed by a joint tactical air controller immersed in a separate virtual reality environment nearby. The common link is that they all see and communicate with each other in real time, and share a training scenario from which data is recorded for later review and analysis. Welcome to the training environment known as Live-Virtual-Constructive (LVC).

Key to gleaning useful information on the training effectiveness of the LVC environment is the Performance Evaluation Tracking System

(PETS) developed by the 711th Human Performance Wing, Warfighter Readiness Research Division. The PETS development team—psychologists specializing in statistical, psychometric, experimental, industrial-organizational, and human factors psychology—consulted directly with warfighters to identify constructs and metrics of importance to them. Thus, the system looks for data to measure the constructs of interest to researchers and those measures that warfighters defined as relevant. Software engineers worked with the Warfighters to create the rule sets and algorithms that PETS uses to filter the data. PETS data can be used to assess learning, proficiency, and where the gaps are in learning. This permits assessments of the readiness "value" of live or virtual training hours because data are targeted to specific learning and readiness constructs, are available in real time, and can be used immediately for debriefing and assessment. The data can also be saved and used later to show how an individual's profi-

		ta\DefaultSce															-
	Control Tools Settin					- 10 0		_									
<b>☞</b> ^	M ⊨ ■ cs	elect Display.	.> = 5	6 重期	los 💇	( ) The !	h di 🥳	8									
	ion Log [Column So		ound] [Thres	hold Values	DemoThreshol	dValues]											
_	Bows Sort Columns C											1	1				_
ine 1:36:06	Mun Type		Target Name	Target Domain		20 Miss Err	Launch Aspo	Launch AltHSL	Launch GLoad	Ssec Airspeed	Seec AltHS	L Ssec Divi	e Seec GLoad	Ssec Bank	Ssec AltAGL	Ssec Skid	Lon
1:36:05		Unknown	N/A		Mss (Det)			-									
1:36:07		VIPER2	N/A		Miss (No Det)		539.3	8173	5.8								
		Havig22	N/A N/A		No Det		337.2	6467	0.9	318.2	6002.1	-8.1 -8.1	0.9	2.4	4523.6	4.1	
1:36:32		Havig22			No Det		339.9	6421	0.9	318.2	6002.1	-0.1	0.9	2.4	4523.6	4.1	
	Munition (2.1.0.0.0.0.0)		Hawg21 VIDER 4	2	No Det Mss (Det)		10.2	6136 5525	1.0								
1:38:19	Munition (2.1.0.0.0.0.0)			2			0.0	5525	1.0								
		Unknown	N/A		Mss (Det)		1										
1:38:40		S60_E_TONA	N/A				0.0	5505	1.0								
	Munition (2.1.0.0.0.0.0)		Lancer32	2	Miss (Det)		0.0	5505	1.0								
	Munition (2.1.0.0.0.0.0)		N/A		No Det		0.0	5525	1.0								
1:39:27		Unknown	N/A		Mss (Det)												
1:39:30		Unknown	N/A		Mss (Det)			-									
1:39:42		560_E_TONA	N/A		M-1		0.0	5505	1.0								
21:39:50		Unknown	N/A		Miss (Det)												
	Munition (2.1.0.0.0.0.0)		Lancer31	2	Mss (Det)												
1:40:04		Unknown	N/A		Miss (Det)												
21:44:12		Havig22	N/A		No Det		321.1	7434	1.0	317.4	6465.3	-2.6	1.8	47.6	6155.7	4.5	
21:44:14		Heng21	TG1	1	Hit (Entity Impact)	642.4	360.7	5856	1.1	313.8	6148.9	3.0	1.0	-0.2	6036.5	0.2	14
	MK-02	Unknown	N/A		Miss (Det)												
	SA-7A	2SU_NE_QUA*	Havvg22	2			0.0	6599	1.0								Ł
21:45:26	SA-7A	501 NE_QUA*	Hawg22	2			0.0	6500	1.0								-
21:45:26	SA-7A	San N€ Grw.	Hawg22	2	1.0		0.0	6599	1.0								
21:45:26		ZSU JÆ_QUA*	Hawg22	2	15	[.][0]				Description							
21:45:26 6] Force	15	ZUJNE JOH	Hawg22	2	и		<b>⊠ T</b> Imp	oact Angle M		Description							
21:45:26 	es Es			2			<b>⊠ T</b> Imp			Description		Rom	h Imp	act A	ngle		
FORC	ES e Name Packag	ges Alive	Teams A		ities Alive		Impe	pact Angle Mo	noasurement			Bom	b Impa	act A	ngle		
Force	EES e Name Packag Force 1/	ges Alive	Teams A	32	ities Alive /743		Impa Impa The in	pact Angle Months and Angle; mpact angle is sents the ang	neasurement I	ne		Bom	b Imp	act A	ngle		
Force	ES e Name Packag	ges Alive	Teams A	32	ities Alive		Impa	pact Angle M act Angle; impact angle in sents the ang ontal (i.e. the	neasurement le between the	ne		Bom	b Impa	act A	ngle	لمبد	
FORCE	EES e Name Fackag Force 1/	pes Alive	Teams A. 3/ 3/ 2/ 2	32	itiem Alive /743 /979		Impe	pact Angle Months and Angle; mpact angle is sents the ang	neasurement le between the ground) and to y when it	ne		Bom	b Impa	act A	ngle	The state of the s	
FORCE FORCE Blue Red	EES e Name Packag Force 1/	pes Alive	Teams A	32	ities Alive /743		Imps Imps The is represented for its representation for its represent	ect Angle Mect Angle; impact angle in sents the angle ordal (i.e. the bion's trajector cted the targe	neasurement le between the ground) and to y when it t.	ne				act A	ingle	Final Park	i i
FORCE FORCE Blue Red	EES e Name Package Force 1/ Force 1/	pes Alive 1 1	Teams A. 3/ 3/ 2/ 2	32	itiem Alive /743 /979		Impa Impa The is repre Indian to the istance of the istance of the impa The istance of the impa The istance of the impa Impa	oact Angle Mo ect Angle: impact angle in sents the angle ontal (i.e. the tion's trajector cted the targe impact angle is	neasurement le between the ground) and to y when it t.	ne the			b Imp	act A	ingle	Factor Francisco	i i
FORCE FORCE FORCE Blue Red	EES e Name Packag Force 1/ Force 1/ Force 1/	pes Alive 1 1	Teams A. 3/ 3 2/ 2 1/ 1	32 32 0	itiem Alive /743 /979 / 0	(.)	Impe Impe The irepre horizon The irepre	ect Angle Mect Angle; impact angle in sents the angle ordal (i.e. the bion's trajector cted the targe	neasurement le between the ground) and to to the second se	ne the				act A	ingle	Fish Jose	i into
FORCE FORCE FORCE Blue Red   No Fe	EES e Name Package Force 1/ Force 1/ FORCE MEMB	pes Alive 1 1 1 1	Teams A 3/ 3 2/ 2 2 / / 1 1   Stat	32 32 0	ities Alive /743 /979 / 0	Mach	Impa  Impa  The is repre horizor munitimps  The is from upon between	mpact Angle M sents the angle is sents the ang- ordal (i.e. the ison's trajector- cted the targe impact angle is the munition's impact, and is- een the velocit	neasurement le between the ground) and to you when it t.  a computed evelocity vect is the angle to ye vector and	ne the				act A	ngle	Fish Pick	
FORCE FORCE Blue Red   No Fi 6   BLUE Name B31	EES  e Name Package Force 1/ Force 1/ FORCE MEMBI Type M2 B3	ges Alive 1 1 1 ERS	Teams A 3/ 3 2/ 2 2 / 2 1/ 1 Star	32 32 0 tus 7   S	ities Alive /743 /979 / 0	Mach 0.0	Impa Impa Impa Impa Impa Impa Impa Impa	pact Angle Mo ict Angle; impact angle in sents the angle ontal (i.e. the tion's trajector ctraining the trajector to the trage impact angle is the munition's impact, and in sen the velocit	neasurement le between the ground) and to you when it t.  a computed evelocity vect is the angle to ye vector and	ne the				act A	ngle	The state of the s	
FORCE FORCE FORCE Blue Red   No Force BLUE Name B31 VIPE	EES  e Name   Package Force 1/ Force 1/ FORCE MEMBI Type M2 B1 R8 F-16	res Alive 1 1 1 ERS	Teams A   3/ 3   2/ 2   2   // 2   1/ 1	32 32 0 tus v   S	ities Alive /743 /979 / 1 / 0 peed (kts) 25	Mach 0.0	Impa  Impa  The is repre horizor munitimps  The is from upon between	pact Angle Mo ict Angle; impact angle in sents the angle ontal (i.e. the tion's trajector ctraining the trajector to the trage impact angle is the munition's impact, and in sen the velocit	neasurement le between the ground) and to you when it t.  a computed evelocity vect is the angle to ye vector and	ne the				act A	ngle	Make parties on	
FORCE FORCE FORCE FORCE FORCE Blue Red   No Fi c  No Fi c  VIPE	Force 1/ FORCE MEMBI Type MR F F-166 R4 F-167 R4 F-167	pes Alive 1 1 1 1 cers	Teams A   3/ 3   2/ 2   2/ 2   1/ 1	32 32 0 tus   S	ities Alive /743 /979 / 0 peed (kts) 25 580 605	Mach 0.0 0.9 1.0	Imps Imps Imps Imps The ir from upon between the 2 vector	oact Angle Most Angle is the Angle is sents the angle resents the angle resents the angle retains trajectocted the tangle is the munition's impact, and is een the velocit component of a	neasurement in neasurement life between the ground) and to y when it to a computed velocity vect is the angle ty vector and if the velocity.	ne the			Impact Angle of Alback (ACA)	act A	ngle	Print print	
FORCE Blue Red   Name B31 VIPE VIPE	EES  Package  Name Package  1/  Force 1/  FORCE MEMB  Type  M2 B3  F-16( R4 F-16( R2 F-16( R2 F-16( R2 F-16( R2 F-16( R2 F-16( R3 F-16( R4	pes Alive 1 1 1 1 cers cadley IF	Teams A 3/ 3 2/ 2 2/ 2 1/ 1 1   Stat V Aliv Aliv Aliv Aliv	32 32 0 tus   S	ities Alive //43 //979 // 0  peed (kts) 25 580 605 605	Mach 0.0 0.9 1.0 0.9	Imps Imps Imps Imps The ir from upon between the 2 vector	pact Angle Mo ict Angle; impact angle in sents the angle ontal (i.e. the tion's trajector ctraining the trajector to the trage impact angle is the munition's impact, and in sen the velocit	neasurement in neasurement life between the ground) and to y when it to a computed velocity vect is the angle ty vector and if the velocity.	ne the			March Angle	act A	ngle	Parket spring parket	
FORCE FORCE Blue Red   No Fi c   BLUE Name B31 VIPE VIPE	EES  e Name   Package Force   1/ Force   1/   FORCE   MEB    Type   M2   B3   F-166   R4   F-166   R2   F-166   R3   R3   R3   R3   R3   R3   R3   R3	pes Alive 1 1 1 1 ters	Teams A   3/ 3   2/ 2   2/ 2   1/ 1	32 32 0 tus 7   S ve ve ve ve	ities Alive /743 /979 / 0 peed (kts) 25 580 605	Mach 0.0 0.9 1.0	Imps Imps Imps Imps The ir from upon between the 2 vector	oact Angle Most Angle is the Angle is sents the angle resents the angle resents the angle retains trajectocted the tangle is the munition's impact, and is een the velocit component of a	neasurement in neasurement life between the ground) and to y when it to a computed velocity vect is the angle ty vector and if the velocity.	ne the	way and		Impact Angle of Alback (ACA)	act A	ngle	Park Park Park	
Force FORCE Force Blue Red	EES  e Name   Package Force   1/ Force   1/   FORCE   MEB    Type   M2   B3   F-166   R4   F-166   R2   F-166   R3   R3   R3   R3   R3   R3   R3   R3	pes Alive 1 1 1 1 ters	Teams A   3/ 3   2/ 2   2   / 2   1/ 1	32 32 0 tus 7   S ve ve ve ve ve	peed (kts)  25 580 605 310	Mach 0.0 0.9 1.0 0.9 0.4	Imps Imps Imps Imps The ir from upon between the 2 vector	oact Angle Most Angle is the Angle is sents the angle resents the angle resents the angle retains trajectocted the tangle is the munition's impact, and is een the velocit component of a	neasurement in neasurement life between the ground) and to y when it to a computed velocity vect is the angle ty vector and if the velocity.	ne the			Impact Angle of Alback (ACA)	act A	ngle	The same	
FORCE FORCE Blue Red	EES  e Name Package Force 1/ Force 1/  FORCE MEMB:  Type H2 11  R3 2 -16  R4 2 -16  R2 4 -16  R3 4 -16  R4 11  R1 A1  R1 A2  R1 A1  R1 A1	pes Alive 1 1 1 1 ters	Teams A 3/ 3 2/ 2 2/ 2 1/ 1 State V Aliv Aliv Aliv Aliv Aliv Aliv	32 32 0 0 tus   S ve ve ve ve ve ve ve ve ve ve ve ve ve	peed (kts)  25 580 605 310	Mach 0.0 0.9 1.0 0.1 0.1 0.0	Imps Imps Imps Imps The ir from upon between the 2 vector	oact Angle Most Angle is the Angle is sents the angle resents the angle resents the angle retains trajectocted the tangle is the munition's impact, and is een the velocit component of a	neasurement in neasurement life between the ground) and to y when it to a computed velocity vect is the angle ty vector and if the velocity.	ne the			Impact Angle of Alback (ACA)			Table street	
Force FORC Force Blue Red   No Force BLUE Name B31 VIPE VIPE Hawg 100A A14	EES  e Name Packag Force 1/ Force 1/ FORCE MEMBI  Type  RB F-166 R6 F-166 R6 F-164 R1 F-184	ERS  cadley IF	Teams A 3/ 3 2/ 2 2/ 2 1/ 1 State V Aliv Aliv Aliv Aliv Aliv Aliv Aliv Aliv	32 32 0 tus 7 S ve ve ve ve ve ve ve ve ve ve ve ve ve	peed (kts)  25 580 605 605 310 0 15	Mach 0.0 0.9 1.0 0.9 0.4 0.0 0.0	Imps Imps Imps Imps Ine i repre horizz horizz horiz ununit unpa Ine i from upon betww the Z vector Units	oact Angle Most Angle is the Angle is sents the angle resents the angle resents the angle retains trajectocted the tangle is the munition's impact, and is een the velocit component of a	neasurement in neasurement life between the ground) and to y when it to a computed velocity vect is the angle ty vector and if the velocity.	ne the	yang mil		Impact Angle of Alback (ACA)	act A		Part Part Part Part Part Part Part Part	

The Performance Evaluation Tracking System developed by the 711th Human Performance Wing, Warfighter Readiness Research Division, gathers data from live, virtual, and constructive training events and measures warfighter performance and training effectiveness.

ciency has changed over time, or to reveal where increased or targeted training may be needed to address deficiencies.

PETS is a suite of tools at the core of a recently completed Category I Advanced Technology Demonstration with Air Combat Command called the Warfighter Readiness Assessment and Performance Measurement Tracking System (WRAP-MTS). The human-centered performance measurement standards developed for WRAPMTS are being implemented in the Combat Air Forces to support the Air Force migration to Proficiency-Based Ready Aircrew Program (P-RAP) training.

"The PETS research program represents a significant advance in pushing state-of-the-art measurement research and technology into the field," said Dr. Winston "Wink" Bennett, RHA technical advisor for training and assessment research. According to Dr. Bennett, PETS is not only a foundation for the P-RAP initiative, but the underlying measurement develop-

ment and integration is a catalyst for work now underway with the Combined Air and Space Operations Center Performance Assessment System.

Integrating PETS into operational commercial training facilities such as the F-15 Mission Training Center (MTC) at Eglin AFB, the F-22 Flight Training Center at Langley AFB, the F-16 MTC at Aviano, Italy, and the F-22 Advanced Combat Simulation center at Marietta, GA, is beneficial because enhances training analysis capabilities for both the Air Force and its partners by being a multi-platform, multisecurity performance

measurement system. By leveraging Cooperative Research and Development Agreements with multiple industry partners to streamline PETS integration into existing training systems such as the LVC demonstration, Project Alpine II, at the Boeing facility in St. Louis last fall, Air Force researchers sliced five years off industry-predicted development time for demonstrating practical LVC capability. To respond quickly to the dynamic challenges of today's operational environment, warfighter training needs to be flexible, effective, and efficient. Feedback from warfighters and researchers supports the conclusion that PETS and the underlying approach to human performance measurement are sound, valuable

surement are sound, valuable contributions to improving warfighter readiness.

Antoinette Portrey, Lockheed Martin Winston Bennett, Jr., 711 HPW/RHAS

Report Docun		Form Approved OMB No. 0704-0188					
Public reporting burden for the collection of information is a maintaining the data needed, and completing and reviewing including suggestions for reducing this burden, to Washingt VA 22202-4302. Respondents should be aware that notwith does not display a currently valid OMB control number.	the collection of information. S on Headquarters Services, Direc	end comments regarding this betorate for Information Operation	ourden estimate or any ot ons and Reports, 1215 Je	ther aspect of this collection of information, efferson Davis Highway, Suite 1204, Arlington			
1. REPORT DATE MAR 2009	2. REPORT TYPE Newsletter		3. DATES COVE 01-01-2009 to				
4. TITLE AND SUBTITLE Fight's On! Newsletter			5a. CONTRACT I FA8650-05-D-				
			5b. GRANT NUM	IBER			
			5c. PROGRAM E <b>62205F</b>	LEMENT NUMBER			
6. AUTHOR(S)  Gina Cinardo			5d. PROJECT NUMBER 1123				
			5e. TASK NUMB	ER			
			5f. WORK UNIT <b>09</b>	NUMBER			
7. PERFORMING ORGANIZATION NAME(S) Air Force Research Laboratory/RHA, V Division, 6030 South Kent Street, Mesa,	Varfighter Readiness	s Research	8. PERFORMING ORGANIZATION REPORT NUMBER AFRL; AFRL/RHA				
9. SPONSORING/MONITORING AGENCY NA Air Force Research Laboratory/RHA,	Warfighter Readines	*	10. SPONSOR/MO	ONITOR'S ACRONYM(S) /RHA			
Division, 6030 South Kent Street, Mesa	, AZ, 85212-0001			ONITOR'S REPORT NUMBER(S) Z-NL-2009-0002			
12. DISTRIBUTION/AVAILABILITY STATEM Approved for public release; distribution							
13. SUPPLEMENTARY NOTES Volume 8, Issue II, Summer 2009							
14. ABSTRACT Newsletter contains the following articl Performance Measurement Tracking S Theatre Environment Used as Joint Te Coalition Live, Virtual, Constructive O Cyberspace Operations; Andrews, D. E Barrera, K., Nellis Performance Assess	ystem Goes Operation rminal Attack Contruperations and Traini I., Cyber Friendly-Fi	onal; Neterer, J., Boy oller Training and R ng; Weeks, J., Instr re Avoidance Works	yle, G., & Sims, Rehearsal Threa uctional Science shop (Cyber Fra	D., eXpert Common Immersive t Generator; Barrera, K., e and Technology (S&T) for atricide Workshop); and			
15. SUBJECT TERMS Warfighter Readiness Assessment and LVC; Cyberspace operations; Science a							
16. SECURITY CLASSIFICATION OF:		17. LIMITATION OF	18. NUMBER	19a. NAME OF RESPONSIBLE			
		ABSTRACT	OF PAGES	PERSON			

a. REPORT

unclassified

b. ABSTRACT

unclassified

c. THIS PAGE

unclassified

4

**Public Release** 

## expert Common Immersive Theatre Environment Used as Joint Terminal Attack Controller Training and Rehearsal Threat Generator

Joint Close Air Support (JCAS) research at the Warfighter Readiness Research Division 711 HPW/RHA continues with the Joint Terminal Attack Controller (JTAC) Virtual Trainer (VT) as the cornerstone of the JTAC Training and Rehearsal System (TRS). As the program moves from "proof of concept" to "operational training effectiveness testbed," unique training challenges and shortfalls are being addressed.

One of the challenges addressed by the JTAC TRS is the gap in live training and the ability to replicate a realistic scenario in an immersive decision-making environment. The ability to create a realistic training scenario that drives the appropriate decision-making process for a JTAC is complex. Previously the only way to accurately task saturate a JTAC was during conflict because the ability to control direct and indirect fire via fighter aircraft, artillery, attack helicopters, and Unmanned Air Vehicles (UAV) was rarely rehearsed on a training range. This is due to range

restrictions, safety concerns, lack of assets, air space, and realistic training resources. The JTAC controls a two-ship of attack aircraft onto preplanned, static target sets. In a combat setting, however, a JTAC is expected to plan Close Air Support based on the ground commanders intent and asset availability, suppress enemy air defenses, deconflict airspace, and conduct target analysis while minimizing collateral damage and assessing the risk to friendly forces.

In an effort to provide a realistic and immersive environment to fill the training shortfalls, the JCAS team relies on 711HPW/RHA's eXpert Common Immersive Theater

Environment (XCITE) team to provide a threat system with constructive battlespace models. Utilizing the JTAC VT's visuals and XCITE's physics-based threat models, the team is closing the training gaps that cannot be adequately represented or trained to in a live setting. A training scenario can be developed in the

virtual trainer utilizing a full complement of weaponry from general purpose (GP) bombs, artillery, and even today's smart munitions. Range-per-munition, artil-

lery systems, max ordnance height, and the lethal range of munitions have all been accurately replicated in the threat database.

The type of aircraft and enemy threat can also be selected from the hundreds of different air platforms, munitions, and threat models. In a more recent effort, the teams found that the XCITE database can also be used to stimulate the Multiple Unified Simulation Environment/Air Force Synthetic Environment for Reconnaissance and Surveillance (MUSE/AFSERS) to provide the JTAC a simu-

lated Remotely Operated Video Enhanced Receiver feed.



UAV view from MUSE/AFSERS on the IOS

So, why is the threat system so important in a simulated environment? The ability to task saturate a JTAC in a training environment so that he is ready and able to employ the appropriate decision-making process in combat is key. The XCITE database provides the appropriate combat threat models. The fully immersive dome

allows the JTAC to have situational awareness of the battlefield to practice the visual and planning perspective with no safety concerns to the participant. A



View of the battle space

trainee can see in advance whether restrictions or other criteria would put an asset

> at risk, adjust engagement zones and airspace considerations, and create a different outcome that would better suit the mission.

The JTAC can then use his knowledge and training to select the appropriate munition to carry out the commander's intent. Buildings, civilians and other urban type infrastructure models can be included into the training scenario to complicate the decision-making process. The impact of being able to practice such a dangerous situation can refine tactics and procedures and potentially reduce risk to the warfighters during conflict. It also helps create a better understanding of the complexity of combining fires during war-

time so that the JTAC is not employing mass fires, for the first time, in combat.



Lt Jonathan Neterer, 711 HPW/RHAE Mr. Garry Boyle, 711 HPW/RHAE Mr. Danny Sims, L-3 Communications

### Coalition Live, Virtual, Constructive Operations and Training

The Live, Virtual, and Constructive (LVC) Training Research Team was awarded a \$1.4M Coalition Warfare Program (CWP) proposal for FY10 and FY11. The RHAS Continuous Learning Branch was awarded a two-year effort to work with the United Kingdom's (UK) Defense Science and Technology Laboratory (DSTL) and the Mission Training through Distributed Simulation at the Air Battlespace Training Centre (ABTC), Royal Air Force (RAF) Waddington to further coalition LVC training. The team

plans to install a 5-meter Joint Terminal Attack Controller-Training and Research System, develop a coalition version of the Performance Evaluation Tracking System, and demonstrate UK LVC operations between live assets and virtual players. The system will be used by DSTL and the ABTC to investigate the use of LVC operations with our foreign partners as well as research how operational personnel can use LVC technology. Use cases and best

practices will be developed and the foundation for coalition LVC operations and training (C-LVC OT) will be established. The C-LVC OT program will create a unique training environment, where all players - US air and ground, as well as coalition partners - are provided quality training including mission planning, briefing, execution, and debrief whether they are flying a live aircraft or participating in an air or ground simulation environment. C-LVC OT will also be a proving ground for joint and coalition training, rehearsal, and exercise interoperability standards development, validation, and refinement.

The goal of LVC operations is to provide warfighters in live aircraft the same complex combat environment and detailed replay and debrief tools as pilots in Distributed Mission Operations simulators. Both US Air Forces in Europe (USAFE) and the UK's RAF are developing networks for linking virtual and constructive simulations. Based on the cooperative research agreement between 711 HPW/RHA and UK's DSTL, the proposed LVC operations program will link USAFE and RAF simulator networks and attempt to incorporate live assets into networked training exercises. LVC operations have been developed at 711 HPW/RHA as a demonstration case for integrating and evaluating two-way communication and data transfer between live aircraft and

real-time simulators including both warfighter-in-theloop (virtual) and computer-generated (constructive). Using developed Mission Essential Competencies SM key knowledge areas and skills to be trained - aircrews can use data collected from live and virtual missions to demon-



Long-haul asset links Cross-Domain secure interplay to support 4th and 5th generation training, rehearsal, and exercise

strate quantitative mission performance metric tracking. 711 HPW/RHA took the lead in developing LVC enabling technology while integrating the training aspect into a more robust debrief. Data captured highlight numerous data points that were previously unobtainable during live-fly events. With the CWP effort, a coalition version of the program will be developed further aiding the training and debriefing capability of our allies.

Ms. Kristen Barrera, 711 HPW/RHAS



#### In December 2007, the Heritage Foundation reported that during fiscal year 07 the Department of Homeland Security received 37,000 reports of attempted cyber attacks on government and private computer systems. The Foundation also reported more than 80,000 attempted attacks on Department of Defense computers and networks. In April 2009, CBS reported Defense Secretary Robert Gates as saying "...the United States is under cyber attack... all the time... every day..... and the Department plans to quadruple the number of cyber security experts to ward off attacks." The Federal Bureau of Investigation has identified cyber attack as the third greatest threat to the United States after nuclear war and weapons of mass destruction.

United States Strategic Command (USSTRATCOM) and USAF Air Combat Command (ACC) have expressed needs related to cyberspace operations training. USSTRATCOM has requested tools to shorten and streamline the training process and ACC has requested a training range for realistic network warfare operations.

As a result, the 711 HPW/RHA Warfighter Readiness Research Division has

### Instructional Science and Technology (S&T) for Cyberspace Operations

initiated Science and Technology (S&T) to address these needs. The goals of the S&T are to accelerate learning and shorten the training process.

Cyberspace operations are unique in that information technology changes rapidly. To accelerate knowledge and skill acquisition to match rapid changes in technology, we need an agile training enterprise based on learning-by-doing with individualized instruction. In addition, special support is needed for the learner. Although top-level outcomes from cyber attack are observable, underlying processes are not. This unique feature of cyberspace operations suggests development of visualizations and animations to represent unobservable cyber processes to accelerate learner comprehension.

Research questions include:

- Can we accelerate learner comprehension by using visualizations and animations for unobservable cyber processes?
- Can we accelerate learning by using individually-tailored instruction?
- Can we accelerate "learning-by-doing" with realistic virtual training environments?

In addition to research questions, there are key engineering challenges. In 2007, the National Academy of Engineering identified fourteen grand challenges for the new millennium, two of which are relevant for this S&T. These are: personalized learning and advancing virtual

reality.

Personalized learning is individuallytailored instruction; the gold standard for which is one-on-one tutoring. It has been empirically verified through replicated experimentation that consistently, on average, individuals who receive one-on-one tutoring perform two standard deviations greater than individuals trained through conventional classroom instruction. That is a huge advantage in favor of one-onone tutoring, but it is too costly to implement on a grand scale. The engineering challenge of personalized learning is to make one-on-one tutoring affordable by applying the power of computer automation to trainee performance measurement, performance evaluation, feedback, development of exercise scenarios, and learning management.

The second engineering challenge is advancing virtual reality, which includes developing realistic virtual environments and simulators for learning-by-doing. If virtual training environments satisfy the goal for realism, trainees would have a déjà vu experience when they take their place on the operational line.

This S&T will lead the way in revolutionizing education and training for cyberspace operations and spin off advanced training technology for other skills. Most importantly, it will help address a major threat facing the United States.

Dr. Joseph Weeks, 711 HPW/RHAS

#### Cyber Friendly-Fire Avoidance Workshop (Cyber Fratricide Workshop)

On 3-4 February 2009, the 711th Human Performance Wing and the Information Directorate of Air Force Research Laboratory organized and hosted a workshop on cyber friendly-fire avoidance. The objective of the workshop sought to understand the prevalence of cyber friendly-fire, define a taxonomy, and develop a research direction to study the subject.

The workshop explored:

- How prevalent is cyber friendly fire?
- What are case examples of real world instances?
- What are the root causes?
- What are possible mitigating solutions, both technical and human factors, for cyber friendly fire?
- Are there cyber analogs of the Blue Force Tracker technology that have helped to mitigate physical friendly

fire accidents?

The workshop had six working groups:

- Community of Practice (who's who)
- Taxonomy (definitions)
- Research Thrusts (where should we invest)
- Intelligence Gain/Loss
- Technical Forum
- Human Factors Analysis

The workshop participants included speakers and representatives from AFSPC/A3, 608 AOC/CC, 26 NOG/CC, AFRL/XPC, AF/A30-C, AFSPC/AC, AFOSR, AFIT, AFSPC/A8, Pacific Northwest Laboratory, and Georgia Tech Research Institute.

Findings included the requirement to differentiate between unintended consequences of offensive action against adversary targets versus unintended consequences of routine maintenance and defense of friendly targets. In addition, workshop participants identified several S&T challenges to reduce cyber fratricide and lessen its impact. The consensus from the workshop attendees was that the topic is important, and they would like to see the workshops continue. AFRL plans to host another workshop in September 2009 and will expand the invited attendees to include more organizations from outside the Air Force.

Persons on call for the workshop were Dr. Dee Andrews, Senior Scientist, Training Psychology, 711 HPW/RHA, and Dr. Kamal Jabbour, Senior Scientist, AFRL/RI.


Dr. Dee Andrews, 711 HPW/RHA

### TARGETS OF OPPORTUNITY

## Nellis Performance Assessment and Readiness Test and Training System Technology Transition Initiative Proposal

The Nellis Performance Assessment and Readiness Test and Training System (NPARTTS) Technology Transition Initiative was written with HQ ACC/ A8A to transition a performance assessment and readiness test and training system to the Nellis Range. This system will facilitate performance based debrief capabilities for both live and simulated aircraft on the Nevada Test and Training Range (NTTR). By integrating several lab technologies within the NTTR infrastructure, the overall system will enable live and simulated aircraft flying on the NTTR to conduct

more in-depth debriefs. The range infrastructure will create test and training syner-



Bidirectional communication between live and virtual assets.

gies by laying the ground work for transfer of onboard aircraft data to the ground lim-

iting the need for instrumentation of the airframe. Linking in other virtual type players such as the Joint Terminal Attack Controller Training Rehearsal System at Nellis into the NPARTTS will add an additional training dynamic at Nellis AFB. The effort is supported by the Office of the Secretary of Defense (Personnel & Readiness), HQ ACC/ A8, and offices within the 4th and 5th generation program. This is seen as a risk reduction effort to further integrate live, virtual, and constructive entities within the Combat Air Force.

Ms. Kristen Barrera, 711 HPW/RHAS



Fight's On! is published by the Warfighter Readiness Research Division
711th Human Performance Wing / RHA of the Air Force Research Laboratory Human Effectiveness Directorate
6030 S. Kent Street, Mesa, AZ 85212-6061.

Fight's On! Point of Contact:

Ms. Gina Cinardo, 480-988-6561 x 589, DSN 474-6589 and e-mail gina.cinardo@mesa.afmc.af.mil

